Litech®



OUTDOOR WEATHERPROOF ENCLOSURE

The demand for efficient telecommunication infrastructure is on the rise, prompting the need for specialized equipment to house essential components. Among these, the Litech Outdoor Cabinet Enclosure is designed to offer a robust, secure, and environment-friendly solution for outdoor installations of telecommunication and other related systems.

Litech produces a diverse selection of outdoor cabinets specifically designed for telecommunications applications. Each cabinet is crafted using advanced CAD/CAM design and CNC technology, ensuring exceptional precision and consistency. To withstand outdoor conditions, all cabinets are finished with a high-quality, oven-baked powder coating.





Free Standing

Wall Mount







BOTTOM OUTLET



GROUND SCREW





HIGH STRENGTH HINGE



QUALITY SAFE LOCK



MOUNTING PLATE

WATERPROOF SEALING STRIP

SNOW



RAIN



DUST



UV



IP65

SIRIM

Litech Enclosure



- Stable Performance
- Not Easily Degradable
- High Impact Strength

Other Enclosure



- Unstable Performance
- Easily Degradable
- Weak Impact Strength

DURABLE STEEL CONSTRUCTION


Strong Tightness

High Hardness

Corrosion Ressistance

Design for Longetivity

- Epoxy Polyester Powder Coating
- Cold Rolled Steel





Enclosure

Litech Outdoor Cabinet Enclosure stands out as a critical component that not only enhances the efficiency and safety of outdoor networks but also plays a significant role in the effective management of AC distribution systems. Its versatile design, coupled with durable materials and advanced features, ensures protection against environmental hazards while promoting seamless operational workflows.

Through this comprehensive exploration, it's evident that adopting the Litech outdoor cabinet enclosure can empower telecommunication ventures with sustainable and reliable solutions for the challenges posed by outdoor installations.













Ordering Information (Free Standing)

Part Number	Dimension H x W x D (mm)	Door
LRF1408040	1400 x 800 x 400	1
LRF14010040	1400 x 1000 x 400	2
LRF1608040	1600 x 800 x 400	1
LRF16010040	1600 x 1000 x 400	2
LRF16012040	1600 x 1200 x 400	2
LRF1808040	1800 x 800 x 400	1
LRF18010040	1800 x 1000 x 400	2
LRF18012040	1800 x 1200 x 400	2
LRF2008040	2000 x 800 x 400	1
LRF20010040	2000 x 1000 x 400	2
LRF20012040	2000 x 1200 x 400	2



Ordering Information (Wall Mount)

Part Number	H	W	D
LR252010	250	200	100
LR252015	250	200	150
LR302515	300	250	150
LR302520	300	250	200
LR303015	300	300	150
LR303020	300	300	200
LR403015	400	300	150
LR403020	400	300	200
LR404020	400	400	200
LR504015	500	400	150
LR504020	500	400	200
LR504025	500	400	250
LR504030	500	400	300
LR505020	500	500	200
LR505025	500	500	250
LR604015	600	400	150
LR604020	600	400	200
LR604025	600	400	250
LR605020	600	500	200
LR605025	600	500	250
LR606020	600	600	200
LR606025	600	600	250
LR606030	600	600	300
LR705020	700	500	200
LR705025	700	500	250
LR806020	800	600	200
LR806025	800	600	250
LR806030	800	600	300
LR808025	800	800	250
LR808030	800	800	300
LR1006030	1000	600	300
LR1008030	1000	800	300
LR1208030	1200	800	300

Litech®

https://www.litech.cc/

OUTDOOR WEATHERPROOF ENCLOSURE



